


CORE DIMENSIONS:


A	16.00 [.630]	+	0.30 [.012]
B	9.00 [.354]	+	0.30 [.012]
C	28.00 [1.102]	+	0.50 [.020]
D	7.50 [.295]	-	0.30 [.012]
E	5.60 [.220]	+	0.30 [.012]

UNCONTROLLED DOCUMENT

IMPEDANCE (Z)			
Frequency	25 MHz	100 MHz	300 MHz
Nominal (REF)	120 Ω	220 Ω	360 Ω
Minimum	- Ω	176 Ω	- Ω



AGILENT E4991A Impedance/Material Analyzer
HP 16092A-Test Fixture REF 3219



CASE DIMENSIONS:

A	19.70 [.776]	+	REF.
B	9.00 [.354]	+	REF.
C	35.10 [1.382]	+	REF.
D	18.00 [.709]	+	REF.
E	5.38 [.212]	+	REF.

NOTES:

1. ASSEMBLED PART #: 28A2736-0A2
2. CASE COLOR: BLACK -"0A2"
3. CASE FLAMMABILITY RATING: UL94 V-2.
4. CASE MATERIAL: Halogen Free Nylon

DIMENSIONS ARE IN mm [INCHES].				This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.		Laird		
P	UPDATED MATERIAL	04/17/13	Jcai	PROJECT/PART NUMBER: 28A2736-0A2	REV	P	PART TYPE: FERRITE SNAP-ON	DRAWN BY: TMB
N	UPDATED DIMENSIONS	10/15/10	Jcai					
M	UPDATED NOTE 3	09/15/10	JUN					
L	UPDATE COMPANY LOGO ADD NOTES 3&4	01/27/09	JRK					
K	UPDATE MIN Z SPEC AT 100 MHZ	07/03/07	JRK					
J	UPDATE COMPANY LOGO	04/18/07	TMB	DATE:	06/29/01	SCALE:	NTS	MATERIAL:
H	UPDATE Z SPEC 100 MHz MINIMUM VALUE REMOVE NOTES 1, 3, & 4 RE-	12/08/06	TMB	CAD #	28A2736-0A2-P	TOOL #	-	Ferrite
G	SWAP CASE DIM CALL-OUTS "A" & "D"	05/04/05	TMB					
F	CHG Z SPEC @100 MHZ ADD TEST REF#	12/21/04	JRK					
REV	DESCRIPTION	DATE	INT					